References:-

[1] Asghar; Safdar M. (Austin, TX)**,** Cong; Lin (Austin, TX), United States Patent "Continuous speech reorganizations apparatus, methods and program" April 07 2005.

[2] Browne M. and Cutmore T. R. H. (2002): 'Low probability event-detection and separation via statistical wavelet thresholding: An application to psycho physiological de-noising', In Clinical Neurophysiology, Vol. 113, Issue 9, pp. 1403-1411, September.

[3] C. Guger, H. Ramoser, and G. Pfurtscheller IEEE ANSACTIONS NREHABILITATION ENGINEERING, VOL. 8, NO. 4, DECEMBER 2

[4] Croft R. J. and Barry R. J. (2000): 'Removal of ocular artifact from the EEG: a review', in Clinical Neurophysiology, Vol. 30, Issue 1, pp. 5-19

[5] DAREN C. JACKSON, JESSICA R. MALMSTADT, CHRISTINE L LARSON, and RICHARD J. DAVIDSON Department of Psychology, University of Wisconsin–Madison, USA

[6] Felix Lee, Reinhold Scherer, Robert Leeb, Christa Neuper, Horst Bisch of, Gert Pfurtscheller Institute for Computer Graphics and VisionGraz University of TechnologyInffeldgasse 16/II, 8010 Graz, Austria

[7] G. B. Janvale, B.W. Gawali, Rakesh S. Deore, Suresh C. Mehrotra, Arun V. Marwale 13 Department of Computer Science and IT, A.M.University, Aurangabad, Maharashtra; Dr. P.R. Ghogrey Science College Dhule (MS); Shraddha Clinic,Aurangabad. INDIA

[8] Jorge Baztarrica Ochoa Gary Garcia Molina. March 28th, 2002 ECOLE PLYTECHNIQUE FEDERALE DE LAUSANNE

[9] Jonathan R. Wolpaw et al., “Brain-computer interface technology: A review of the first international meeting”, IEEE Transactions on habilitation engineering, vol. 8, no. 2, pp. 164-173, June 2000.

[10] Jeffery.S .Maxwell And Richard .D.Davidson University Of Wiscosin Madison USA

[11] Katharine Brigham, B.V.K. Vijaya Kumar Department of Electrical and Computer Engineering Carnegie Mellon University, Pittsburgh, PA, USA
{kbrigham, kumar}@ece.cmu.edu

[12] Kuboyama. Hideo (Yokohama, JP), Yamamoto.Hiroki (Yokohama, JP)
United States Patent January 17, 2012[10]

[13] Li,TzeFen ,Tai-JanLee ,Shih T rzung United State Patent March 27,2012.

[14] Mohamed Rizon Department of Biomedical Technology, College of Applied Medical Sciences, King Saud University, P.O. Box 10219 Riyadh 11433, Saudi Arabia

[15] Marzia De Lucia Æ Juan Fritschy Æ Peter Dayan, David S. Holder Received: 18 December
2006 / Accepted: 20 November 2007 International Federation for Medical and Biological Engineering 2007

[16] Olga Surinam, Yes Liu, Qiang Wang, and Minh Khoa Nguyen Nan yang Technological University, Nan yang Ave, Singapore

[17] Priyanka Abhang Research Student Shashibala Rao Bharti W. Gawali1
Department of CS and IT, Dr. B.A.M.University, Aurangabad, Maharashtra, India
Department of Zoology, R.B. Attal College, Georai, Beed.

[18] Rakesh Deore, T.Y.Sonar and S.C.Mehrotra S.S.V.P.S’s

Aurangabad,Maharashtra,Indiamail:rakeshsdeore@gmail.com,meet_tejal2000@yahoo.com, mehrotra_suresh@yahoo.com

[19] S. Oviatt. The human-computer interaction handbook. chapter Multimodal interfaces, pages 286{304. L. Erlbaum Associates Inc., Hillsdale, NJ, USA, 2003.

[20] Tsuruta Akira Brich Kolasch and Birch Pobox747 Fals CHUrch VA 22040 0747 US